

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/661,054	09/12/2003	Thomas Kheng G. Peh	70020976-1	6729
7590 07/13/2005 AGILENT TECHNOLOGIES, INC.			EXAMINER QUINTO, KEVIN V	
P.O. Box 7599 Loveland, CO 80537-0599			2826	
			DATE MAILED: 07/13/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/661,054	PEH, THOMAS KHENG G.				
Office Action Summary	Examiner	Art Unit				
	Kevin Quinto	2826				
The MAILING DATE of this communication appeared for Reply	ppears on the cover sheet with the	correspondence address				
A SHORTENED STATUTORY PERIOD FOR REP THE MAILING DATE OF THIS COMMUNICATION  - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a re  - If NO period for reply is specified above, the maximum statutory perio  - Failure to reply within the set or extended period for reply will, by statu Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	136(a). In no event, however, may a reply be apply within the statutory minimum of thirty (30) did will apply and will expire SIX (6) MONTHS fro the, cause the application to become ABANDON	timely filed  ays will be considered timely.  m the mailing date of this communication.  IED (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 27.	<u>April 2005</u> .					
2a) This action is <b>FINAL</b> . 2b) ⊠ Th	is action is non-final.	•				
	Since this application is in condition for allowance except for formal matters, prosecution as to the ments is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims	•					
4) ⊠ Claim(s) 1-5,7,9,10,19 and 20 is/are pending 4a) Of the above claim(s) is/are withdres 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-5,7,9,10,19 and 20 is/are rejected 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/	awn from consideration.					
Application Papers						
9) The specification is objected to by the Examir	ner.					
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the	e drawing(s) be held in abeyance. Se	ee 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the E		•				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of:  1. Certified copies of the priority documer 2. Certified copies of the priority documer 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list	nts have been received.  nts have been received in Applica  ority documents have been received (PCT Rule 17.2(a)).	tion No ved in this National Stage				
Attachment(s)						
Notice of References Cited (PTO-892)	4) Interview Summar					
<ul> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> <li>Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date</li> </ul>	Paper No(s)/Mail D  5) Notice of Informal  6) Other:	Date Patent Application (PTO-152)				

### **DETAILED ACTION**

### Response to Arguments

1. Applicant's arguments with respect to claims 1-5, 7, 9, 10, 19, and 20 have been considered but are most in view of the new ground(s) of rejection.

### Specification

2. The examiner notes the newly amended title and therefore hereby withdraws the objection made to the specification in the previous Office action.

## Claim Rejections - 35 USC § 112

- 3. Claim 10 is rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for a molded encapsulation layer which is shaped to direct light emitted by an emitter such that the molded encapsulation layer reduces a difference in beam divergence between a fast-axis and a slow-axis of an emitter, does not reasonably provide enablement for a molded encapsulation layer with the stated beam divergence characteristic and discrete transitions. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make or use the invention commensurate in scope with these claims.
- 4. The specification does not discuss a molded cup with walls having discrete transitions AND an elliptical shape such that a molded encapsulation layer reduces a difference in beam divergence between a fast-axis and a slow-axis of an emitter.

Application/Control Number: 10/661,054

Art Unit: 2826

### Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 6. Claims 1, 3, 5, 7, and 9 are rejected under 35 U.S.C. 102(b) as being anticipated by Ishinaga (USPN 6,355,946 B1).
- 7. In reference to claim 1, Ishinaga (USPN 6,355,946 B1) discloses a similar device. Figures 1-4 of Ishinaga illustrate an integrated optical emitter device with a substrate (1A). An emitter (3A) is mounted to the substrate (1A). An elliptical molded cup (5) surrounds the emitter and is bonded to the substrate (1A). A molded encapsulation layer (50) is bonded to the elliptical molded cup (5). The examiner notes the new limitation regarding the beam divergence. The applicant has disclosed that an elliptically shaped cup enables an elliptically shaped lens which reduces a difference in beam divergence between a fast-axis and a slow-axis (p.5, paragraph 16 of the current specification). The molded encapsulation layer (50) is elliptical since the cup in which it is formed is elliptical; therefore Ishinaga meets this limitation.
- 8. In reference to claim 3, the emitter (3A) is a surface-emitting diode.

Application/Control Number: 10/661,054 Page 4

Art Unit: 2826

9. With regard to claim 5, the molded cup (5) is at least semi-reflective (column 5, lines 11-12).

- 10. In reference to claim 7, the molded encapsulation layer is elliptical since the cup in which it is formed is elliptical.
- 11. In reference to claim 9, Ishinaga discloses that the encapsulation layer is made of transparent epoxy (column 4, lines 25-29)
- 12. Claims 1, 2, 3, 5, 7, and 9 are rejected under 35 U.S.C. 102(e) as being anticipated by Matsubara et al. (USPN 6,642,547 B2).
- 13. In reference to claim 1, Matsubara et al. (USPN 6,642,547 B2, hereinafter referred to as the "Matsubara" reference) discloses a similar device. Figures 7A, 7B, 7C, and 7D of Matsubara each illustrate an integrated optical emitter device with a substrate (3). An emitter (5) is mounted to the substrate (3). A molded cup (8) surrounds the emitter (5) and is bonded to the substrate (3). A molded encapsulation layer (7) is bonded to the molded cup (8). The difference in beam divergence between the fast-axis and the slow-axis is reduced since Matsubara makes it clear that light parallel to the substrate surface (3), or in the slow-axis direction, is radiated (3) perpendicular to the substrate surface, or in the fast-axis direction, due to the cup (column 8, lines 4-10).
- 14. With regard to claim 2, Matsubara makes it clear that the substrate (3) is a printed circuit board (column 7, lines 36-40).
- 15. In reference to claim 3, the emitter (5) is a surface-emitting diode.

Application/Control Number: 10/661,054 Page 5

Art Unit: 2826

16. In reference to claim 5, the cup (8) is at least semi-reflective (column 7, lines 20-30).

- 17. With regard to claim 7, the encapsulation layer (7) has an elliptical shape as seen in figures 7A, 7B, 7C, and 7D.
- 18. With regard to claim 9, the encapsulation layer (7) is formed from clear epoxy (column 7, lines 48-50).

### Claim Rejections - 35 USC § 103

- 19. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 20. Claim 4 is rejected under 35 U.S.C. 103(a) as being unpatentable over Ishinaga (USPN 6,355,946 B1) in view of Fukasawa et al. (USPN 6,638,780 B2).
- 21. In reference to claim 4, Ishinaga discloses that the encapsulation layer is made of molded epoxy (column 4, lines 25-29) but does not discuss using epoxy for the reflective cup. However the use of epoxy as a reflective cup is well known in the art. Fukasawa et al. (USPN 6,638,780 B2, hereinafter referred to as the "Fukasawa" reference) discloses the use of a reflective epoxy cup in conjunction with a transparent epoxy material in an LED (column 2, lines 46-51, 67 and column 3, lines 1-4) helps to avoid defects related to the adhesion process such as damage to bonding wires, and peeling of the LED (column 1, lines 40-43). In view of the benefits disclosed by

Art Unit: 2826

Fukasawa, it would therefore be obvious to use epoxy as the material for the reflective cup in Ishinaga.

- 22. Claims 4, 19, and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Matsubara et al. (USPN 6,642,547 B2) in view of Fukasawa et al. (USPN 6,638,780 B2).
- 23. In reference to claim 4, Matsubara discloses that the encapsulation layer is made of molded epoxy (column 7, lines 48-50) but does not discuss using epoxy for the reflective cup. However the use of epoxy as a reflective cup is well known in the art. Fukasawa (USPN 6,638,780 B2) discloses the use of a reflective epoxy cup in conjunction with a transparent epoxy material in an LED (column 2, lines 46-51, 67 and column 3, lines 1-4) helps to avoid defects related to the adhesion process such as damage to bonding wires, and peeling of the LED (column 1, lines 40-43). In view of the benefits disclosed by Fukasawa, it would therefore be obvious to use epoxy as the material for the reflective cup in Matsubara.
- 24. In reference to claim 19, Matsubara (USPN 6,642,547 B2) discloses a similar device. Figures 7A, 7B, 7C, and 7D of Matsubara each illustrate an integrated optical emitter device (5) mounted to a printed circuit board or PCB (3). A molded cup (8) surrounds the emitter (5) and is bonded to the PCB (3). A molded epoxy encapsulation layer (7) is bonded (column 7, lines 48-50) to the molded cup (8). The difference in beam divergence between the fast-axis and the slow-axis is reduced since Matsubara makes it clear that light parallel to the substrate surface (3), or in the slow-axis direction, is radiated (3) perpendicular to the substrate surface, or in the fast-axis direction, due to

Application/Control Number: 10/661,054

Art Unit: 2826

the cup (column 8, lines 4-10). Matsubara does not discuss using epoxy for the cup. However the use of epoxy as a reflective cup is well known in the art. Fukasawa (USPN 6,638,780 B2) discloses the use of a reflective epoxy cup in conjunction with a transparent epoxy material in an LED (column 2, lines 46-51, 67 and column 3, lines 1-4) helps to avoid defects related to the adhesion process such as damage to bonding wires, and peeling of the LED (column 1, lines 40-43). In view of the benefits disclosed by Fukasawa, it would therefore be obvious to use epoxy as the material for the reflective cup in Matsubara.

25. With regard to claim 20, the encapsulation layer (7) has an elliptical shape as seen in figures 7A, 7B, 7C, and 7D.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kevin Quinto whose telephone number is (571) 272-1920. The examiner can normally be reached on M-F 8AM-5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nathan Flynn can be reached on (571) 272-1915. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306 but starting on July 15, 2005, the new fax phone number will be 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR.

Application/Control Number: 10/661,054

Art Unit: 2826

Page 8

Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

KVQ

NATHAM J. FLYNN SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 2800